

Additional Conditions

In addition to the Consent for Establishment issued by the Board in electronic format under Section (25) of the Water (Prevention & Control of Pollution) Act, 1974 the applicant shall comply with the following additional conditions also for construction of **Residential Apartment & Club house with 1900 Units in 19 Wings in 7 blocks with 228 EWS units resulting in Total Built up Area of 4,65,786.5 SQM**, installation of STP of capacity **1740 KLD (340 KLD x 3 Modules = 1020 KLD, 360 KLD x 2 Modules = 720 KLD)**, for treatment and discharge of sewage effluent from the project **Sobha Limited** proposed to come up on Sy.No. 47/1 (New No.47/3), 47/1 (New No.47/5), 49/1, 49/3, 50, 46/5(P), 46/6, 46/4(p), 47/6, 47/7 & 49/6 of Panathur Village Varthur Village, Varthur Hobli, Bengaluru.

References:

1. CFEST applications submitted at Regional Office, **Mahadevapura** with PCB Id **133482** dated: 01.10.2022.
2. Proceedings of the Enforcement Committee Meeting held on 28th October 2022.
3. Board Office letter No. 5360 dated 10.11.2022.
4. Regional Office letter to Board Office No. 1106, dated 14.11.2022.

A. Environmental Aspects and its Management During the Course of Construction:

1. This Consent for Establishment issued from pollution control point of view without prejudice to any case in any court of law is valid for a period of **5 years** or coterminous with the validity of Environmental Clearance (EC) issued by State Level Environment Impact Assessment Authority, Karnataka if applicable. Conditions stipulated in the Environmental Clearance shall be completely complied with.
2. Services such as water supply, sanitation and sewage treatment shall be arranged at the construction site as well as the workforce colony and same shall be maintained without any adverse impact to the environment. Such treated sewage shall be used for the curing non load bearing structures, dust suppression and such allied activities as usage of fresh water for construction activity is banned as per Government Order No: FEE 188 ENV 2003, dated 14.03.2003.

B. Water Consumption:

1. The water consumption for the above project activity shall not exceed **1608 KLD**. Due Diligence issued by SGWA within 3 Months in respect of abstraction of Groundwater from the existing or proposed Bore Wells shall be submitted including water supply outsourced through tankers.

C. Water Pollution Control:

1. The total quantity of sewage shall not exceed **1447 KLD** and shall be treated in the sewage treatment plant of capacity **1740 KLD (340 KLD x 3 Modules = 1020 KLD, 360 KLD x 2 Modules = 720 KLD)** with the treatment scheme submitted along with the application in order to meet the standards stipulated below before utilizing the same for secondary urban reuse such as landscape, gardening, toilet flushing, fire protection and heating ventilation and air conditioning. STP shall be constructed on modular basis to cater to phase-wise development if need be.

Sl. No	Parameter	Prescribed Standards	Sl. No	Parameter	Prescribed Standards
01.	pH	6.5 – 9.0	05.	NH ₄ -N (mg/l)	Not more than 5
02.	BOD ₅ at 27°C (mg/l)	Not more than 10	06.	N-Total (mg/l)	Not more than 10
03.	COD (mg/l)	Not more than 50	07.	Fecal Coliform (MPN/100 ml).	Less than 100
04.	TSS (mg/l)	Not more than 20			



2. All the treatment units shall be made impervious and if they do not achieve the standards stipulated above or if it is found to be inadequate, the applicant shall have to modify the units or upgrade the STP with prior consent of the Board, in order to attain standard stipulated.
3. The applicant shall make provisions for dual piping system to use the treated sewage effluent for toilet flushing, gardening and other secondary purposes. If the treated sewage is used for car or basement or floor wash, a separate treatment unit shall be provided in the STP chain for removal of oil and grease.
4. Separate energy meter and flow meter shall be provided to STPs with log records maintained in a register.
5. Applicant shall add appropriate disinfectant to treated sewage to ensure residual chlorine preferably in the range of 1 mg/l. to 3 mg/l. In case of excess treated sewage is an arrangement can be made with the end users such as civic authority parks or nearby construction projects with proper documentation and prior approval of the Board.
6. **DANGER** sign board near the STP shall be installed to maintain safety of the personnel involved in its operation and maintenance. Proper signage shall be displayed in both Kannada and English languages near the taps that discharge treated sewage as non potable water. Access to STPs shall be given to authorized persons only with issue of necessary permits.
7. The applicant shall make use of the Mechanical Cleaning Equipment's to clean the STPs, instead of resorting to manual cleaning by contacting the Urban Local Body or any other authorized private agency in this regard by making use of Sucking & Jetting Machines. Necessary protective equipments, safety gadgets, lifesaving oxygen supply shall be made available at the STP at all times. Precaution shall be taken to avoid any personnel coming in contact with Methane Gas generated. Necessary protective equipment with prescribed calibration shall be made available at all times.
8. In event of breakdown of regular power supply alternate source such as a captive diesel generator set to run and operate the essential units of sewage treatment plant shall be provided.
The services of qualified Environmental Engineer or Scientist shall be availed for the management of environmental aspects such as STP operation & cleaning, municipal solid waste management, domestic hazardous waste management, etc. The STP operators shall be trained & certified by a reputed organization such as Environmental Management Policy Research Institute. The STP shall be located 30 m away from the periphery of the Water Bodies such as lakes, tanks etc., and 50m, 25m, 15m away from the central line of the primary, secondary, Tertiary Rajakaluve respectively.

D. Air Pollution Control:

1. There shall not be any source of air pollution in the premises of the apartment other than diesel generators. All diesel generators sets above the capacity of 125 KVA shall be fixed with a retrofitting emission control device having a minimum specified particulate matter capturing efficiency of at least 70% as per Board order No. 2887 dated 17.09.2021 which in turn is as per directions of the honorable NGT in matters related to OA 681/ 2018, order dated 06.08.2019. Any installation of additional air pollution sources shall be done with prior permission of the Board.
2. The applicant shall deploy suitable dust control measure to suppress the dust generated during the activity of the project using minimal quantity of water.

E. Solid Waste Management:

1. The applicant shall earmark suitable place with adequate space for management of solid wastes such as segregation, treatment and scientific storage. Organic solid waste shall be treated in in-house organic waste processing facility. Inorganic portion shall be handed over to authorized agency or ULB collection system with proper documentation.
2. Biomedical waste shall be handled & disposed as per the provisions of Biomedical Waste Management Rules, 2016. Separate bins shall be provided for the collection of the same.
3. Used sanitary napkins shall be stored and disposed scientifically as per prevailing law. The sanitary napkins shall be collected in separate bins with proper precautions and markings.



4. Plastic waste shall be handled & disposed as per provisions of Plastic Waste Management (Amendment) Rules, 2021. The waste plastic shall be handed over to authorized plastic waste processors duly maintaining appropriate records.
5. E waste shall be managed & disposed as per E-Waste (Management) Rules, 2016. Separate bins shall be kept at appropriate location in the premises for collection of the same with proper notification and markings.
6. Battery waste shall be managed & disposed as per Battery (Management & Handling) Rules 2010.

F. Construction & Demolition Waste:

1. The applicant shall strictly follow Construction & Demolition Waste Management Rules published by Ministry of Environment, Forest and Climate Change, New Delhi on 29.03.2016.
2. The applicant shall collect and hand over the wastes generated only to the KSPCB Authorized C & D waste processing facility without causing environmental pollution, ensuring it free from plastics and other organic matter.
3. Records pertaining to generation, transportation of C&D waste, including vehicle numbers, invoices/payment receipts, shall be maintained and furnished to the Board once in 03 months. In case there is no such waste generated or transported 'Nil' returns with signature of the authorized persons shall be furnished.
4. At no instances the waste shall be disposed illegally by dumping in valley, lakes or any other places directly or indirectly through the transporter. The generator will be held responsible to proceed with legal action for such violations even if the disposal is carried out by the transporter.
5. The applicant shall explore to use sand derived from crushed C& D waste as an alternative instead of using river sand for construction.
6. The trucks entering and exiting the construction site shall be subject to "wheel and trucks bottom washing" with a permanent arrangement and to reuse the waste water again.
7. The data on the management of C&D waste as per CPCB guidelines of March 2017 shall be furnished.

G. Health & Safety:

1. The applicant shall provide all necessary personal protective equipment & healthcare facilities to workers as per the prevailing policies of the competent authorities.
2. Wastes such as mask, gloves generated during the pandemic periods shall be packed separately without mixing with the other wastes and handed over to Common Biomedical Waste Management Facilities.
3. Used sanitary napkins, tampons and such allied materials shall be packed separately and handed over to the civic authorities for the safe disposal.

H. General:

1. Applicant shall install Rain Water Harvest System to reduce draft on fresh water along with providing Percolation Pits to augment ground water table. The details with drawings shall be furnished within a month.
2. The proposed project site is surrounded by the following activities

Towards North	Road	Towards East	Road
Towards South	Private Establishments	Towards West	Vacant Land

3. The prospective buyers shall be notified about existing surrounding schedule of the property.
4. All pages of the Consent for Establishment (CFE) obtained by the Board shall be displayed at prominent places Viz, marketing office, model apartment for the information of customers.
5. The applicant shall explore separation of sullage and sewage and make separate proposal for Treatment & utilization for secondary proposes other than drinking usage.
6. Used oil, oil soaked waste, oil filters generated from servicing the diesel generators shall be disposed to KSPCB authorized handlers.



7. Greenery of shrubs flowering and foliage trees shall be created in the premises as much as practicably possible.
8. The applicant shall not change or alter (a) number of Flats (b) the quality, quantity or rate of discharge of effluents / emissions and (c) install/replace/alter the water or air pollution sources without the prior approval of the Board.
9. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at their cost, failing which, the applicant or occupier as the case may be shall be liable to pay the entire cost of remediation or restoration and pay in advance an amount equal cost estimated by Competent Agency or Committee. In case of the any complaint the applicant shall stop the construction activity and shall take appropriate measures before resuming construction activity with due information to the Board.
10. All necessary steps to keep the storm water drains within the project premises clean shall be taken keeping the top open along with de silting the same to keep it clean aiding smooth flow of water in it.
11. Shall provide necessary electrical charging facilities for battery operated vehicles in the car parking area or at vantage places as per the prevailing policies of the Government.
12. The applicant shall earmark buffer distance as per the bylaws of the local planning authority.
13. All the environmental pollution control measures shall be installed and made operational before handing over the project to others.
14. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
15. The applicant shall submit Half Yearly Consent Conditions Compliance Report to the Regional & Board Office as per schedule mentioned herein – April to September months to be submitted before 31st October, while October to March to be submitted before 30th April.
16. Any non Compliances to conditions stipulated, Board has the right to withdraw the consent.
17. The project proponent shall create awareness amongst the buyers & visitors on ODS free substances and Environment Protection and discourage use of ODS substances.
18. Issue of first CFO to the project is subjected to compliance by the project authorities w.r.t EC issued vide ref. No. SEIAA 149 CON 2021 dated: 26.09.2022 and compliance to above CFE conditions.
19. The applicant shall comply with EC conditions including separation of grey & black water by the use of dual plumbing system (to any one of STP module) & not to disturb the nala flow path region.

Please note that separate consent for operation of the Board for discharge of liquid effluent shall be obtained by remitting prescribed consent fee. The application for Consent has to be made 45 days in advance so as to make necessary inspection of the project to ascertain the pollution control measures provided. Issue of Consent will be considered only after complete installation of all the pollution control measures and its satisfactory operation. The receipt of CFE may please be acknowledged.

For and on behalf of
Karnataka State Pollution Control Board



Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church Street, Bengaluru-560001

Tele : 080-25589112/3,
25581383

Fax:080-25586321

Email id: ho@kspcb.gov.in

Consent For Establishment (CFE)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&
The Air (Prevention & Control of Pollution) Act, 1981

To

**Residential Apartment & Club House by Sobha Limited, of Panathur Village
Varthur Village, Varthur Hobli, Bengaluru.**

for the Facility located at,

**Residential Apartment & Club House by Sobha Limited, Sy.No. 47/1 (New
No.47/3), 47/1 (New NO.47/5), 49/1, 493, 50, 46/5(P), 46/6, 46/4(p), 47/6, 47/7 &
49/6 ,of Panathur Village Varthur Village, Varthur Hobli, Bengaluru.**

Bangalore Urban

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
CTE-334538	133482	170749	RED/LARGE	23/11/2022

**This Consent is granted for the Products/ Activity/Service name indicated
in the annexure along with the terms & conditions attached to this order**

Validity : 22/11/2027

Consent Order No. CTE-334538

PCB ID:

133482

Date: 23/11/2022

To,

The Applicant

Residential Apartment & Club House by Sobha Limited

Sobha Limited Sarjapur-Marthahalli

Outer Ring Road Bellandur Post,
Bangalore -

Sir,

Sub: Consent to Establish under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981-reg.,

Ref: 1. CFE application submitted by the industry/organization on 07/10/2022 at Regional Office

2. Inspection of the project site by Regional Officer Bangalore on 21/10/2022
Mahadevap
ura

3. Proceedings of the ECM dated 02/11/2022 ,held on 28/11/2022

With reference to the above, Karnataka State Pollution Control Board hereby accords **Consent for Establishment** for new Activity under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the following terms & conditions.

Location:

Name of the Applicant: Residential Apartment & Club House by Sobha Limited

Address: Sy.No. 47/1 (New No.47/3), 47/1 (New NO.47/5), 49/1, 49/3, 50, 46/5(P), 46/6, 46/4(p), 47/6, 47/7 & 49/6, of Panathur Village Varthur Village, Varthur Hobli, Bengaluru.

Industrial Area: Not In I.A, Panathur,

Taluk: BBMP- W- 149, District: Bangalore Urban

Conditions:

1. This consent for establishment is valid up to 22/11/2027 from the date of issue.
2. The applicant shall not undertake expansion/diversification without the prior consent of the Board.
3. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.
4. This consent is granted considering the following activities:

Sr	Product Name	Applied Qty	Unit
1	Residential Apartment & Club house with 1900 Units in 19 Wings in 7 blocks with 228 EWS units resulting in Total Built up Area of 4,65,786.5 SQM	1.0000	Number

I. WATER CONSUMPTION:

1. The source of water shall be from BWSSB and total water consumption shall be as below.

Particulars	Water consumption(KLD)
Domestic Purpose	1608.0

II. WATER POLLUTION CONTROL:

1.The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act or Rules made there under.

2. The applicant shall treat the domestic wastewater from the factory in septic tank with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be designed as per IS 2470 Part - I and Part- II

3. The applicant shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within the factory premises.

4. The quantity of domestic waste water and trade effluent generated from the proposed industry shall not exceed the permitted quantity as indicated below

Discharge of effluents under the Water Act:

Sl. No.	Description	Permitted Quantity of discharge in KLD	Mode/Place of disposal
1	Domestic Purpose	1447.000	Sewage effluent shall be discharge into STP of capacity 1740 KLD (340 KLD x 3 Modules = 1020 KLD, 360 KLD x 2 Modules = 720 KLD), treated to standards stipulated at all times and used for secondary urban purposes within the premises with Zero Liquid discharge outside.

5. The applicant shall treat the trade effluent in proposed ETP which consists of the following;

STP & ETP details

SlNo	ETP/STP NO	ETP Code	Category Name	Capacity (Meter Cubic)	Units	Remarks
1	STP2	BS-	Bar Screen	3.00	3	
2	STP1	BS-	Bar Screen	3.00	2	
3	STP2	EQU	P-Equalization Tank	119.70	2	
4	STP2	EQU	P-Equalization Tank	118.44	1	
5	STP1	EQU	P-Equalization Tank	123.54	2	
6	STP1	OGT	P-Oil-Grease Trap	8.05	2	
7	STP2	OGT	P-Oil-Grease Trap	8.45	3	
8	STP1	PA-	Primary Aeration tank	28.22	2	

9	STP2	PA-	Primary Aeration tank	29.61	6	
10	STP1	AER	S-AERATION TANK	263.36	2	
11	STP2	AER	S-AERATION TANK	241.68	3	
12	STP1	CLS	S-Sec Clarifier	62.86	2	
13	STP2	CLS	S-Sec Clarifier	59.97	3	
14	STP1	SET	S-SETTLING TANK	240.30	1	
15	STP2	SET	S-SETTLING TANK	336.20	1	
16	STP1	SHT	S-SLUDGE HOLDING TANK	240.30	1	
17	STP2	SHT	S-SLUDGE HOLDING TANK	157.50	1	

6. The applicant shall ensure that the ETP will treat the effluent to the stipulated standards as indicated in Annexure-I

7. The applicant shall not discharge any effluent outside the industry premises.

8. The applicant shall provide separate flow meter for inflow & outflow of effluents through ETP and separate energy meter and shall maintain a logbook for hourly record of meter reading for the verification of inspecting officers

9. The applicant shall discharge the effluents only to the place mentioned in the Consent order.

III. AIR POLLUTION CONTROL:

1. The Source of emission, Stack height & Air Pollution Control (APC) measures shall be as specified in ANNEXURE-II.

2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.

3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

IV. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A “decibel” is a unit in which noise is measured.
- * “A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

V. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The applicant shall collect, treat and dispose off all solid waste generated from the process other than wastes covered under the Hazardous and other Wastes (Management & Transboundary Movement) Rules 2016, in such manner so as not to cause environmental pollution.
2. The details of solid waste generated from the proposed plant and mode of disposal shall be as below.

Sr	Solid Waste Name/Type	Qty-Unit	Mode of Disposal
1	Organic waste	102.0000 - M.T	OTH
2	Inorganic waste	68.4000 - M.T	OTH

VI. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT) RULES 2016:

1. The applicant shall apply and obtain authorization under Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016, and comply with the provisions of the said Rules.

VII. GENERAL:

1. The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
2. The applicant shall not commission the proposed plant for trial or regular production unless necessary Water & air pollution control equipments are installed as specified in the Consent Order.
3. The applicant shall ensure that the treatment plant and control equipments are completed and commissioned simultaneously along with construction of the factory and erection of machineries.
4. The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.
5. The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation to the Board.
6. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
7. This CFE does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.
8. The applicant shall furnish pointwise compliance to the conditions given under this consent for establishment along with the application for Consent to operate.
9. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.
10. The applicant shall comply with all the Conditions and guidelines issued from time to time.
11. The applicant must create structure/facility for rain water harvesting and ground water recharge.
12. The applicant shall develop extensive green belt within the periphery of the plant.
13. This consent is issued without prejudice to Court Cases pending in any Hon'ble Court.

Please note that this is only consent for establishment issued to you to proceed with the formalities for establishment of the industry and does not give any right to proceed with trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 45 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

Consent Fee paid : Rs. 625000

Note:

The Conditions Nil mentioned in the schedule are not applicable.

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office, Bangalore Mahadevapura for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.

ANNEXURE- II

Chimney No.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	15 X 500 KVA	3	PM, SO ₂ , NO _x , CO, NMHC	0,0,0,0,0	DIE	AEC, GRB, PRT	Before Commissioning
2	D.G. Sets	3 X 250 KVA	3	PM, SO ₂ , NO _x , CO, NMHC	0,0,0,0,0	DIE	AEC, GRB	Before Commissioning

Note:

AEC, GR : Accoustic Enclosures
B, PRT

AEC, GR : Accoustic Enclosures
B

Additional Conditions:

II (2), (6), III (2), IV (1), V (1), VI (1) & VII (4) these conditions are not applicable.

The project authorities shall strictly comply with the conditions stipulated in Annexure I contains pages.

The CFE is issued as per the recommendations of the Enforcement Committee Meeting held on 28.10.2022 & duly approved by Member Secretary & Hon'ble Chairman.



LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame or rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period.
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

FOR AND ON BEHALF OF
KARNATAKA STATE POLLUTION CONTROL BOARD



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
Karnataka State Pollution Control Board

"ಪರಿಸರ ಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ.49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು-560001, ಕರ್ನಾಟಕ ರಾಜ್ಯ, ಭಾರತ
"Parisara Bhavan", 1st to 5th Floor, # 49, Church Street, Bangalore - 560 001, Karnataka State, India

No. PCB/104/INFRA/2022/ 6126

Date:

09 DEC 2022

CORRIGENDUM

✓ To:
The Authorized Signatory,
Sobha Limited,
Regd. & Corporate Office: 'Sobha'
Sarjapura-Marathahalli Outer Ring Road,
Bellandur Post,
Bengaluru – 560 103.

Sir,


Sub: Corrigendum to Consent for Establishment (CFE) under the Water (Prevention and Control of Pollution) Act, 1974 to construction of Residential Apartment & Club House with 1900 Units in 19 Wings in 7 Blocks with 228 EWS Units, resulting in total built up area of 4,65,785.5 Sqm. installation of STP of capacity 1740 KLD (340 KLD x 3 Modules – 1020 KLD, 360 KLD x 2 Modules = 720 KLD) proposed to come up on Sy. No. 47/1 (New No.48/3), 47/1, (New No. 47/5), 49/1, 49/3, 50, 46/5(P), 46/6, 46/4(P), 47/6, 47/7 & 49/6 of Panathur Village, Varthur Hobli, Bengaluru by **Sobha Limited.**

Ref: 1. CFE No.CTE-334538 PCB ID: 133482 dated 23.11.2022.
2. Project proponent request letter dated 25.11.2022.

<<<<<<>>>>>>

Preamble:

The Board had issued consent for establishment to **Sobha Limited** on 23.11.2022 to construction of Residential Apartment & Club House with 1900 Units in 19 Wings in 7 Blocks with 228 EWS Units, resulting in total built up area of 4,65,785.5 Sqm. installation of STP of capacity 1740 KLD (340 KLD x 3 Modules – 1020 KLD, 360 KLD x 2 Modules = 720 KLD) proposed to come up on Sy. No. 47/1 (New No.48/3), 47/1, (New No. 47/5), 49/1, 49/3, 50, 46/5(P), 46/6, 46/4(P), 47/6, 47/7 & 49/6 of Panathur Village, Varthur Hobli, Bengaluru.


Senior Environmental Officer .

Based on the above requested by the Board on 25.11.2022 and requesting at the time of uploading STP project Sy. No. was wrongly mentioned as 493 instead of Survey No. 49/3.

Hence, the following.

ORDER

In the Consent for Establishment at ref. (1), wherever is mentioned as Sy. No. 493 the same shall be replaced and read as **Sy. No. 49/3**.

All other terms and conditions in the CFE issued vide reference (1) remains same and unaltered.

The receipt of this letter may please be acknowledged.

For and on behalf of
Karnataka State Pollution Control Board

Senior Environmental Officer .





ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ

KARNATAKA STATE POLLUTION CONTROL BOARD

Online Payment Receipt

XGN_ID	133482
Name of the Organization	Proposed Residential Development Andclubhouse
Correspondence Address	Sobha Limited Sarjapur-Marthahalli Outer Ring Road Bellandur Post, Bangalore -
Inward no	160749
Inward Type	CEF
Name of the Regional Office	Bangalore Mahadevapura
Bank Reference Number	YICO1485623586
OrderId	132999
Date Of Payment	07/10/2022 00:00:00
Transaction Amount (In Rs.)	625000.00
Transaction Amount (In Words)	Six Lakh Twenty Five Thousand Rupees only